



2025/2026 RATE CARD

*Reach over 25,000 interested buyers
via our print edition and the
UrgentCareBuyersGuide.com website*

Reservations and Materials Due August 1, 2025

Print Edition:

- Reach clinic owners, business and administrative personnel, and clinicians working in our exclusive list of over 14,000 urgent care clinics nationwide. A printed copy is sent to over 15,000 potential buyers. Published in September 2025.
- Bonus copies of the Guide will be distributed in the attendee registration bags at the national UCA Spring convention.

Online Website:

- The stand-alone site www.UrgentCareBuyersGuide.com offers buyers instant access to your ad and listing for a full year, with the opportunity for additional high-visibility tactics, if desired.

Advertising Listings & Sales

Stuart Williams

Phone: (480) 245-6400

Fax: (480) 219-9222

swilliams@jucm.com

Published by:

JUCM
THE JOURNAL OF URGENT CARE MEDICINE

Braveheart Group
11 E Sundial Circle
PO Box 5156
Carefree, AZ 85377

2025/2026 RATE CARD

Urgent Care Buyer's Guide Categories

Associations & Societies	Infection Control Products
Clinical Services	Medical Waste
Accreditation	Orthopedic Supplies/Disposables
Accreditation Management Systems	Over the Counter Product Retail Sales
Education, Training: Board Certification	Patient Incentives
Education, Training: Breath Alcohol Technician Training/Certification	Pharmaceutical Dispensing Systems
Education, Training: Certification, Specialty	Surgical Instruments
Education, Training: Coding Reference, Classes	Uniforms
Education, Training: Compliance OSHA	Vaccines
Education, Training: Continuing Medical Education, CME	Wound Care Supplies
Education, Training: Credentialing	Practice Management Services
Education, Training: Training Models (anatomical)	Business Analytics and Reporting Software
Laboratory Testing Facilities	Consulting Services, Laboratory
Telemedicine	Consulting Services: Occupational Medicine
Teleradiology	Consulting Services: Practice Management
Travel Medicine	Dictation Products
EMR and Revenue Cycle Management	Employee Benefits Services
Billing Software	Facility Cleaning Services
Collection Services	Facility Management Services
Electronic Medical Records (EMR)	Facility Security Services
Practice Management Software	Group Purchasing Services
Revenue Cycle Management	Insurance: Medical Liability
Medical Equipment	Laboratory Information Systems (LIS)
AED	Laboratory Management Systems (LMS)
Capital Equipment: Exam Tables	Legal Services
Capital Equipment: Office Furniture	Marketing: Advertising Services
Diagnostic Equipment: Chemistry Analyzer	Marketing: Consulting Services
Diagnostic Equipment: EKG	Marketing: Patient Engagement
Diagnostic Equipment: Hematology Systems	Marketing: Website Development & SEO
Diagnostic Equipment: Oximetry	Office Furniture
Diagnostic Equipment: Point of Care Testing	Patient Assistance Programs
Diagnostic Equipment: Spirometry	Patient Referral Programs
Equipment Dealers, Refurbished	Patient Registration & Wait Time
Equipment Management Software	Practice Management Software
Equipment Repair	Provider Staffing/Locum Tenens
Imaging Equipment: PACS	Staff Scheduling Software
Imaging Equipment: Ultrasound	Translation Services
Imaging Equipment: X-Ray	Practice Start Up, Financing & Sales
Medical Supplies/Disposables	Architecture/Design & Build Services
Breath Alcohol Testing Devices	Consulting Services: New Clinic Startup
Dental Emergency Supplies	Financial Services
Drug Screen Supplies	Franchises
Emergency/Crash Cart Supplies	Practice Acquisition/Broker
General Medical Supplies/Disposables	Real Estate Services

2025/2026 RATE CARD

Reservations and Materials Due August 1

Rates and Specifications:

Description	Free Listing	Boxed Listing	1/3 Page Display	1/2 Page Display	Full Page Display
Company Name / Website URL	X	X	X	X	X
Address and Phone Number	X	X	X	X	X
email Address		X	X	X	X
50-Word Description		X	X	X	X
Corporate Logo		X	X	X	X
UCBG website: Up to 5 Pictures on your listing			X	X	X
UCBG website: Homepage Product Showcase rotating panel ad—300x250 pixels			1 month	2 months	3 months
UCBG website: Banner ad on website— 728x90 banner or 300x250 big box ad					2 months
UCBG website: Featured product listing in product category of your choice					1 year
Early Bird Net Cost	Runs if space is available	\$835- \$560	\$3,060 \$2,050	\$3,775 \$2,530	\$4,880 \$3,270

UrgentCareBuyersGuide.com website-only regular pricing:

Description	Monthly Net Cost	Annual Net Cost
Product Showcase ad on homepage carousel — 300x250	\$300	\$2,100
Monthly Promotions Listing on homepage — text and logo	\$150	\$1,050
Product Pictures on listing — up to 5 pictures		\$250
Featured Listing on category page — your listing sorted to the top		\$250
Big Box Ad runs sitewide — 300x250	\$400	
Leaderboard Ad runs site wide — 728x90	\$500	

2025/2026 RATE CARD

Print Ad Sizes		
Ad	Standard Page	Bleed Page
Cover	6.625" x 9.312"	8.25" x 11"
Full Page	6.625" x 9.312"	8.25" x 11"
1/2 Page	6.625" x 4.312"	
1/3 Page	2.25" x 9.312"	

Digital Ad Sizes	
Product Showcase banner	300 x 250 pixels
Featured Listing—Homepage & Category	Auto Generates from Listing & Logo
Big Box ad banner—RH Side	300 x 250 pixels
Leaderboard ad banner—Top	728 x 90 pixels
Company Listing page ads	Logo: 150 x 105 pixels, product images: 600 x 480 pixels

General Information:

Acceptance of Advertising

Advertising is subject to approval by the publisher, which reserves the right to reject any advertising for any reason. Advertiser shall indemnify and hold harmless the Publisher and Editor of the Journal from and against any loss, expense, claim, or liability resulting from their advertisement.

Digital File Specifications:

Online Art Guidelines are Available Here:

<https://www.kwglobal.com/digital-art-support>

File formats

PDF is the preferred file format. We accept PDF/X-1a+ files that adhere to the page geometry requirements (next column). Single-page PDF files are the standard for production and are required for certain types of automation processes. If you must send multiple-page PDF files, please discuss this with your Cenveo account manager. Pages contained in each multiple-page PDF file must be contiguous. Do not merge multiple PDF files into a single PDF file. This can create font ID conflicts and cause type characters in the merged file to drop unexpectedly.

Submitting PDF Files

We accept native page-layout application files created in Adobe InDesign for Macintosh (up to and including Adobe InDesign CC 2014) and Adobe InDesign for Windows (up to and including Adobe InDesign CS5.5). We accept native page-layout application files created in QuarkXPress for Macintosh (up to and including QuarkXPress 10) and Windows (up to and including QuarkXPress 8.5).

FILE CONSTRUCTION CONSIDERATIONS

Imported Image Files

- Industry standard is for continuous-tone-type images to be saved to CMYK or Grayscale mode. Optimum resolution of continuous tone-type images is 2 times the line screen at which the publication will be produced. Minimum recommended resolution is 1.5 times the line screen at which the publication will be produced.
- Line-art scans should be saved to Bitmap mode and should have an effective resolution no lower than 600 ppi. The optimum resolution for this type of image is 1200 ppi.
- Apply custom effects (colorizing, rotation, and other special effects) in the photo-retouching program.
- Supply a directory listing all files copied to transfer media, or all files that are transferred electronically.
- Supply a composite proof with color content clearly indicated. Color proofs are preferred for files with color content.

Page Geometry Requirements

PAGE-LAYOUT APPLICATION FILE DIMENSIONS

The page-layout file must be set up to the true-trim size of the publication. Bleed elements must extend beyond the page by 1/8" (0.125") on the trim sides.

PDF FILE DIMENSIONS

The originating page-layout application file must be set to the true-trim size of the publication. The overall (Media Box) size of the PDF file must be exactly trim-size-plus-one-inch with exactly one-half inch of space on each side of the trim to accommodate bleed and marks. This PDF file must include a valid TrimBox and crop/registration marks. Bleed elements must extend beyond the page by 1/8" (0.125") on the trim sides, and crop marks must fall completely outside of the bleed area.

Imported Art Files

- Files should be set for high resolution output. Files will be output to a device resolution of 2400 dpi.
- Select all text and convert to outlines before saving to import into the page layout.
- Be sure that the colors are specified properly in your files. Make sure that colors are set to CMYK rather than RGB. If elements are to print in a spot color, be sure the spot color name matches exactly to the spot color name for the same color used in the page-layout application. Make sure that spot colors are correctly designated as "Spot" and that process colors are correctly designated as "CMYK" or "Process Separation".
- Be aware of effects that can be caused by transparency and flattener settings. We recommend that all transparency be flattened in the final page file that is submitted for processing.
- We accept native page-layout application files that are created in QuarkXPress and Adobe InDesign. If you are sending application files (rather than PDF files), it is important that you supply all of the elements that went into the building of those files: fonts, art files, and high-resolution image files.
- Avoid use of third-party XTensions or Plug-Ins in your page-layout application if you are supplying native files.
- Avoid font menu styling to create type effects. Avoid use of TrueType fonts.
- Be sure colors are specified properly in your files. If you've created any custom colors or are using Pantone colors, be sure they're designated as "Process Separation" or "Spot" depending on the intent. Delete any unused colors from the palette. Make sure all elements intended to print in the same spot (Pantone) color are assigned exactly the same spot color name.

Coloring Black Elements

- All text that are to be black must be only colored as 100% black or a screen of black. Do not use Registration or a Process build to define the black element.
- All barcodes must be black and colored as 100% black. Do not use Registration or a Process build to define the barcode.
- Rich Black elements should be built as C=30% M=30% Y=30% K=100%, Do not use for text.

Confirmation

- Supply a directory listing all files copied to transfer media, or all files that are transferred electronically.
- Supply a composite proof with color content clearly indicated. Color proofs are preferred for files with color content.